

Listing of Claims

Claim 1 (Currently Amended): A slush-moldable, crosslinkable composition formed from functionalized polyolefin powder comprising from 80.9% to 100% by weight of:

a functionalized polyolefin (A) having an MFI of at least 20 g/10 min. (190°C/2.1.6 kg) containing an anhydride and/or epoxy functional group;
a product (B) having the role of crosslinking (A), the composition having a particle size between 100 and 400 μm , wherein (B) is selected from copolymers of ethylene and an unsaturated epoxide.

Claim 2 (Currently Amended): The composition as claimed in claim 1, wherein (A) is selected from copolymers of ethylene and an unsaturated carboxylic acid anhydride and ~~(B) is selected from copolymers of ethylene and an unsaturated epoxide.~~

Claim 3 (Previously Amended): The composition as claimed in claim 2, wherein (A) is selected from ethylene/alkyl (meth) acrylate/maleic anhydride copolymers, these copolymers comprising from 0.2 to 10% by weight of maleic anhydride and from 5 to 40% by weight of alkyl (meth) acrylate.

Claim 4 (Currently Amended): The composition as claimed in claim [2] 1, wherein the product (B) is ~~advantageously~~ an ethylene/alkyl (meth) acrylate/unsaturated epoxide copolymer which can contain up to 40% by weight of alkyl (meth) acrylate and up to 10% by weight of unsaturated epoxide.

Claim 5 (Withdrawn): The composition as claimed in claim 1, wherein (A) is selected from copolymers of ethylene and an unsaturated carboxylic acid anhydride and (B) is selected from polyamines adsorbed on a zeolite.

Claim 6 (Withdrawn): The composition as claimed in claim 1, wherein (A) is selected from copolymers of ethylene and an unsaturated epoxide and (B) is selected from polyamines adsorbed on a zeolite.

Claim 7 (Withdrawn): A process for the manufacture of an item molded by slush molding comprising the melting of a composition according to claim 1, followed by crosslinking of the latter.

Claim 8 (New): The composition as claimed in claim 1, wherein (A) and (B) are present in proportions so as to provide from 0.1 to 1.5 anhydride functional groups per epoxide functional group.

Claim 9 (New): The composition as claimed in claim 1, wherein (A) and (B) are present in proportions so as to provide from 0.2 to 0.6 anhydride functional groups per epoxide functional group.

Claim 10 (New): The composition as claimed in claim 1, comprising from 98% to 100% by weight of (A) and (B).